



**HEIN | LEHMANN**

**CONIDUR®**

**PRODUCTION AREA CONIDUR® FINE  
HOLE SHEETS**

# PRODUCTION AREA CONIDUR® FINE HOLE SHEETS

## MILD STEEL

Initial sheet thickness	CONIDUR®-Fine hole		Standard production width	
	min.	max.	uncut	rectangular
mm	mm	mm	mm	mm
0.50	0.10	0.50	650	600
0.75	0.15	1.00	650	600
1.00	0.20	1.50	800	750
1.25	0.30	1.50	800	750
1.50	0.35	2.00	800	750
2.00	0.40	6.50	800	750
2.50	0.40	6.50	750	700
3.00 max.	on request		on request	

Manufacturing tolerances for holes and other dimensions depend on the manufacturing process and the raw material. We will be pleased to provide more detailed information on request.

# PRODUCTION AREA CONIDUR® FINE HOLE SHEETS

## STAINLESS STEEL

Initial sheet thickness	CONIDUR®-Fine hole		Standard production width	
	min.	max.	uncut	rectangular
mm	mm	mm	mm	mm
0.20	0.05	0.25	550	520
0.35	0.06	0.25	610	580
0.50	0.08	0.50	610	580
0.70	0.10	1.00	610	580
1.00	0.15	2.00	660	630
1.25	0.18	4.00	660	630
1.50	0.30	4.00	600	570
2.00	0.35	on request	550	520
2.50	0.40	on request	550	520

Manufacturing tolerances for holes and other dimensions depend on the manufacturing process and the raw material. We will be pleased to provide more detailed information on request.