



HEIN | LEHMANN

GRUNDSTOFFSIEBE

LOCHWEITENLISTE

**STANDARD DRAHTGEWEBE NACH FORM A
UND D**

LOCHWEITENLISTE

STANDARD DRAHTGEWEBE NACH FORM A UND D

MW mm	Draht Ø mm
2,5	1,2
	1,6
2,7	1,2
2,8	1,2
	1,6
	1,8
3,0	1,2
	1,6
	1,8
	2,0
3,2	1,2
	1,6
	1,8
	2,0
3,4	1,6
	1,8
3,5	1,2
	1,6
	1,8
	2,0
3,6	1,6
	1,8
	2,0

MW mm	Draht Ø mm
3,8	1,6
	1,8
	2,0
4,0	1,2
	1,6
	1,8
	2,0
	2,2
	2,5
4,2	1,6
	1,8
	2,0
4,3	2,2
4,4	1,6
	1,8
4,5	1,2
	1,6
	1,8
	2,0
	2,2
	2,5
4,6	1,6
	2,2

MW mm	Draht Ø mm
4,7	1,8
	2,5
4,8	2,0
	2,2
5,0	1,2
	1,6
	1,8
	2,0
	2,2
	2,5
	3,0
5,3	2,2
5,4	1,6
	1,8
5,5	1,6
	1,8
	2,0
	2,2
	2,5
	3,0
5,6	1,6
5,7	1,8
	2,5

*Andere bzw. abweichende Ausführungen auf Anfrage.

LOCHWEITENLISTE

STANDARD DRAHTGEWEBE NACH FORM A UND D

MW mm	Draht Ø mm
5,8	2,2
	3,0
6,0	1,2
	1,6
	1,8
	2,0
	2,2
	2,5
	3,0
	3,5
6,2	1,8
	2,0
	3,0
6,3	1,6
	2,0
	2,2
	2,5
	3,0
6,4	1,6
6,5	2,0
	2,5
	3,0
	3,5

MW mm	Draht Ø mm
6,7	2,5
6,8	2,0
	2,2
7,0	1,6
	2,0
	2,2
	2,5
	3,0
	3,5
7,3	2,2
7,5	1,6
	2,0
	2,2
	2,5
	3,0
	3,5
7,7	2,5
7,8	2,2
8,0	1,6
	2,0
	2,2
	2,5
	3,5

MW mm	Draht Ø mm
	4,0
8,3	2,2
8,5	2,0
	2,5
	3,0
	3,5
	4,0
8,8	2,2
9,0	2,0
	2,5
	3,0
	3,5
	4,0
9,3	2,2
9,5	2,0
	2,5
	3,0
	3,5
	4,0
9,7	3,5
9,8	2,2
10,0	1,6
	2,0

LOCHWEITENLISTE

STANDARD DRAHTGEWEBE NACH FORM A UND D

MW mm	Draht Ø mm
	2,5
	3,0
	3,5
	4,0
	4,5
10,5	5,0
	2,5
	3,0
	3,5
	4,0
	4,5
11,0	5,0
	2,5
	3,0
	3,5
	4,0
	4,5
11,5	5,0
	2,5
	3,0
	3,5
	4,0
	5,0

MW mm	Draht Ø mm
12,0	2,0
	2,5
	3,0
	3,5
	4,0
	4,5
12,5	5,0
	2,5
	3,0
	3,5
	4,0
	4,5
13,0	5,0
	3,0
	3,5
	4,0
	4,5
13,5	5,0
	2,5
	3,0
	3,5
	4,0
	4,5

MW mm	Draht Ø mm
13,5	5,0
14,0	2,5
	3,0
	3,5
	4,0
	4,5
	5,0
	6,0
14,5	3,0
	3,5
	4,0
	4,5
	5,0
15,0	2,0
	2,5
	3,0
	3,5
	4,0
	4,5
	5,0
	6,0
15,5	3,5
	4,0

LOCHWEITENLISTE

STANDARD DRAHTGEWEBE NACH FORM A UND D

MW mm	Draht Ø mm
	4,5
	5,0
16,0	6,0
	2,5
	3,0
	3,5
	4,0
	4,5
	5,0
16,5	6,0
	3,5
	4,0
	4,5
	5,0
	6,0
17,0	3,0
	3,5
	4,0
	4,5
	5,0
	6,0
17,5	3,5
	4,0

MW mm	Draht Ø mm
	5,0
18,0	3,0
	3,5
	4,0
	4,5
	5,0
18,5	6,0
	4,0
	4,5
	5,0
19,0	3,0
	4,0
	4,5
	5,0
	6,0
19,5	4,5
	5,0
20,0	2,0
	2,5
	3,0
	3,5
	4,0
	4,5

MW mm	Draht Ø mm
	5,0
	6,0
21,0	3,0
	4,0
	5,0
	6,0
21,5	4,5
22,0	3,0
	4,0
	5,0
	6,0
22,5	4,0
	4,5
23,0	4,0
	5,0
	6,0
24,0	4,0
	5,0
	6,0
25,0	3,0
	3,5
	4,0
	5,0

MW mm	Draht Ø mm
	6,0
26,0	5,0
	6,0
27,0	5,0
	6,0
28,0	5,0
	6,0
30,0	3,5
	5,0
	6,0
32,0	6,0
33,0	6,0
35,0	5,0
	6,0
36,0	6,0
37,0	5,0
40,0	6,0